

office chairs

08



codutti

OFFICE
collection
CHAIRS

01 DIAMOND



codutti



MODEL: Diamond
CODE: D/601GO
GROSS WEIGHT: 38 kg
VOLUME: 0,593 mq

TECHNICAL DATA

INNER FRAME: Seat shell in curved beech plywood 14 mm thick; armrests shell in poplar plywood 25 mm thick.

PADDING: Polyurethane stress resistant foam admixed with fire retardant.

BASE: 5-spoke swivel base in ash solid wood or die-cast aluminium.

MECHANISM: Tilt mechanism with knee-tilt mechanism, 16° tilt angle, 6 positions tilt locking by lever, side tension adjustment crank.

GAS LIFT: Pneumatic seat height adjustment, gas lift column h 170 mm, chromium plated.

CASTORS: Double self-braking castor, black nylon and aluminium rubber, diam. 65 mm.


UPHOLSTERY: Handcraft saddle stitched barriered leather, fabric, suede, boiled wool as for Codutti Sample Book.

OTHERS: Fixed versions feature a glide base in ash solid wood or chromium plated steel.


The hollow in the armrests, for an ergonomic chair use, and the rised frieze pattern on the back is available in plain colours to match coverings or in leather with gold or silver finish.




D/601GO




D/603GO



D/607



D/608



02 MINOS

codutti



MODEL: Minos
CODE: E/51GO
GROSS WEIGHT: 39,5 kg
VOLUME: 0,6175 mq

TECHNICAL DATA


INNER FRAME: Seat shell in curved beech plywood 14 mm thick; armrests shell in plywood.
PADDING: Polyurethane stress resistant foam admixed with fire retardant.
BASE: 5-spoke swivel base: ash solid wood and laquered steel.
MECHANISM: Tilt mechanism with knee-tilt mechanism, 16° tilt angle, 6 positions tilt locking by lever, side tension adjustment crank.
GAS LIFT: Pneumatic seat height adjustment, gas lift column h 170 mm, black.
CASTORS: Double self-braking castor, black nylon and aluminium rubber, diam. 50 mm.
UPHOLSTERY: Handcraft saddle stitched barriered leather, fabric, suede, boiled wool as for Codutti Sample Book.
OTHERS: Fixed armchairs feature an exposed body in solid wood lacquered with several coats of matt finish polyuretane varnish. The seat is fitted with springs to maximise confort. Tubchair feature a steel frame leather covered in the part at sight.



E/51GO



E/57



H/71



03 COUPE'



codutti




MODEL: Coupe'
CODE: C/401GO
GROSS WEIGHT: 21,6 kg
VOLUME: 0,4989 mq

TECHNICAL DATA

- INNER FRAME:** Seat shell in curved beech plywood 14 mm thick.
- ARMRESTS:** polished die-cast aluminium with a padded covered insert.
- PADDING:** Polyurethane stress resistant foam admixed with fire retardant.
- BASE:** 5-spoke swivel base in die-cast aluminium.
- MECHANISM:** Tilt mechanism with knee-tilt mechanism, 16° tilt angle, 6 positions tilt locking by lever, side tension adjustment crank.
- GAS LIFT:** Pneumatic seat height adjustment, gas lift column h 215 mm, chromium plated.
- CASTORS:** Double self-braking castor, black nylon and aluminium rubber, diam. 65 mm.
- FEET:** Conical feet diam. 50 mm.
- UPHOLSTERY:** Handcraft saddle stitched barriered leather, fabric, suede, boiled wool as for Codutti Sample Book.
- OTHERS:** Fixed versions feature 5-spoke swivel base in die-cast aluminium with conicle fixed feet or a glide base in chromium plated steel.




C/401GO




C/403GO



C/403G



C/404M



C/406



C/407



04 TECNO TOP



MODEL: Tecno Top
CODE: T/381GO
GROSS WEIGHT: 24,6 kg
VOLUME: 0,4989 mq

TECHNICAL DATA

INNER FRAME: Seat shell in curved beech plywood 14 mm thick; armrests shell in MDF 30 mm thick.

PADDING: Polyurethane stress resistant foam admixed with fire retardant.

BASE: 5-spoke swivel base: ash solid wood or die-cast aluminium; glide base: chromium plated steel.

MECHANISM: Tilt mechanism with knee-tilt mechanism, 16° tilt angle, 6 positions tilt locking by lever, side tension adjustment crank.

GAS LIFT: Pneumatic seat height adjustment, gas lift column h 170 mm, black.

CASTORS: Double self-braking castor, black nylon and aluminium rubber, diam. 65 mm.

UPHOLSTERY: Handcraft saddle stitched barriered leather, fabric, suede, boiled wool as for Codutti Sample Book.

OTHERS: Fixed versions feature 5-spoke swivel base in die-cast aluminium with conic fixed feet or a glide base in chromium plated steel.


codutti




T/381GO




T/383GO



T/385



T/387



05 ONE PLUS



codutti



MODEL: One Plus
 CODE: YP/281GO
 GROSS WEIGHT: 18 kg
 VOLUME: 0,47 mq

The mechanism is certified ISO 21015:2007, EN and BIFMA, for 24 hour use and maximum weight of 150 kilo, in accordance with the norm BS 5459: Part 2:2000. The mechanism complies with USA Lead Paint Norm, 16 CFR Part 1303 12/21/2008.



TECHNICAL DATA

INNER FRAME: Seat and backrest shell in stratified curved beech plywood 13 mm thick; wooden inner panel in stratified curved plywood 5 mm thick.

PADDING: Smart Memory polyurethane resin, different density for seat, backrest, lumbar support, armrests to maximise comfort.

BASE: 5-spoke swivel base in polished aluminium.

MECHANISM: Tilt mechanism with knee-tilt mechanism, 16° tilt angle, 4 positions tilt locking by lever, side tension adjustment with automatic location return.

GAS LIFT: Pneumatic seat height adjustment, gas lift column, chromium plated cone.


CASTORS: Double black castor, polyurethane rubber, diam. 60 mm, without brake.

UPHOLSTERY: Handcraft saddle stitched barriered leather, fabric, suede, boiled wool as for Codutti Sample Book.


OTHERS: Fixed armchairs feature a 4 spoke chromed base with anti-slip glides. Stolls features chromed square base 420 x 420 mm, gas lift for height adjustment, swivel and chromed footrest.



YP/281GO




YP/283GO



YP/285M



YP/288S



06 ONE



codutti



MODEL: One
CODE: Y/181GO
GROSS WEIGHT: 17 kg
VOLUME: 0,39 m³

The mechanism is certified ISO 21015:2007, EN and BIFMA, for 24 hour use and maximum weight of 150 kilo, in accordance with the norm BS 5459: Part 2:2000. The mechanism complies with USA Lead Paint Norm, 16 CFR Part 1303 12/21/2008.

TECHNICAL DATA

INNER FRAME: Seat shell in stratified curved beech plywood 16 mm thick.

ARMRESTS: Bent round-welded steel diam. 22 mm, chromium plated and partially covered.

PADDING: Smart Memory polyurethane resin, different density for seat, backrest, lumbar support, armrests to maximise comfort.

BASE: 5-spoke swivel base in polished aluminium.

MECHANISM: Tilt mechanism with knee-tilt mechanism, 16° tilt angle, 4 positions tilt locking by lever, side tension adjustment with automatic location return.

GAS LIFT: Pneumatic seat height adjustment, gas lift column, chromium plated cone.

CASTORS: Double black castor, polyurethane rubber, diam. 60 mm, without brake.

UPHOLSTERY: Handcraft saddle stitched barriered leather, fabric, suede, boiled wool as for Codutti Sample Book.


OTHERS: Low back chairs feature a free standing mechanism, pneumatic seat height adjustment and swivel. Fixed armchairs feature a 4 spoke chromed base, a free standing mechanism, swivel with self-return mechanism when the user stands up, a self return column with shock absorber, chrome ABS feet with polyamide lower part.




Y/181GO



Y/183GO



Y/185M



07 GENESIS SOFT

codutti



MODEL: Genesis Soft
CODE: S/271GO
GROSS WEIGHT: 20 kg
VOLUME: 0,499 mq

TECHNICAL DATA

INNER FRAME: Seat shell in curved beech plywood 14 mm thick.

ARMRESTS: Extruded aluminium and chromed steel frame, partially leather covered.

PADDING: Polyurethane stress resistant foam admixed with fire retardant.

BASE: 5-spoke swivel base in die-cast aluminium.

MECHANISM: Tilt mechanism with knee-tilt mechanism, 16° tilt angle, 6 positions tilt locking by lever, side tension adjustment crank.

GAS LIFT: Pneumatic seat height adjustment, gas lift column h 215 mm, chromium plated.

CASTORS: Double self-braking castor, black nylon and aluminium rubber suitable for parquet, diam. 50 mm.

UPHOLSTERY: Handcraft saddle stitched barriered leather for the back; leather, fabric, suede, boiled wool as for Codutti Sample Book for frontal soft parts.

OTHERS: Fixed versions feature 5-spoke swivel base in die-cast aluminium with conic fixed feet, diam. 50 mm. Tubchair feature a chromed steel frame at sight.




S/271GO



S/273GO



S/277M



SX/71



08 GENESIS



MODEL: Genesis Soft
CODE: S/271GO
GROSS WEIGHT: 20 kg
VOLUME: 0,499 mq

TECHNICAL DATA

INNER FRAME: Seat shell in curved beech plywood 14 mm thick.

ARMRESTS: Extruded aluminium and chromed steel frame, partially leather covered.

PADDING: Polyurethane stress resistant foam admixed with fire retardant.

BASE: 5-spoke swivel base in die-cast aluminium.

MECHANISM: Tilt mechanism with knee-tilt mechanism, 16° tilt angle, 6 positions tilt locking by lever, side tension adjustment crank.

GAS LIFT: Pneumatic seat height adjustment, gas lift column h 215 mm, chromium plated.


CASTORS: Double self-braking castor, black nylon and aluminium rubber suitable for parquet, diam. 50 mm.

UPHOLSTERY: Handcraft saddle stitched barriered leather for the back; lather, fabric, suede, boiled whool as for Codutti Sample Book for frontal soft parts.


OTHERS: Fixed versions feature 5-spoke swivel base in die-cast aluminium with conicle fixed feet, diam. 50 mm or a glide base in chromium plated steel, diam. 16 mm.



S/161GO




S/162GO




S/163GO



S/165M



S/167



codutti

09 COSMO



codutti



MODEL: Cosmo
CODE: B/801GO
GROSS WEIGHT: 25,4 kg
VOLUME: 0,3735 mq



TECHNICAL DATA

INNER FRAME: Seat shell in curved beech plywood 14 mm thick; armrests shell in curved birch plywood.

PADDING: Polyurethane stress resistant foam admixed with fire retardant.

BASE: 5-spoke swivel base die-cast aluminium.

MECHANISM: Small knee tilt lockable in 4 positions and unlockable with "anti-shock" function, gas lift lever and knob for tension adjustment.

GAS LIFT: Pneumatic seat height adjustment, gas lift column h 215 mm, chromium plated.

CASTORS: Double self-braking castor, black nylon and aluminium rubber suitable for parquet, diam. 50 mm.

UPHOLSTERY: Handcraft saddle stitched barriered leather for the back; leather or trendy boiled wool as for Codutti Sample Book for frontal part.

OTHERS: Fixed versions feature a glide base in chromium plated steel.



B/801GO




B/803GO




B/805M



B/807



B/806



10 MAYA preview

MODEL: Maya
GROSS WEIGHT: 25,4 kg
VOLUME: 0,3735 mq

TECHNICAL DATA

INNER FRAME: Seat shell in curved plywood.

PADDING: Polyurethane stress resistant foam.

BASE: 5-spoke swivel base die-cast aluminium.

MECHANISM: Tilt mechanism front/back 6°.

GAS LIFT: Pneumatic seat height adjustment, chromium plated.

CASTORS: Adjustable brake castor Silent Pin, black nylon and aluminium rubber suitable for parquet, diam. 65 mm.

UPHOLSTERY: Mirage fabric.

OTHERS: Fixed versions include stool, lounge and ottomana elements. They feature a glide base available in chromium plated steel.



11 JET



MODEL: Jet
GROSS WEIGHT: 25,4 kg
VOLUME: 0,3735 mq

TECHNICAL DATA

FRAME: Black or white Poliammide Nylon and fiberglass.

BACK: Black mesh or padded back.

ARMRESTS: Height adjustable armrests.

PADDING: Polyurethane foam.

BASE: Polished aluminium pyramid base with black wheels.

MECHANISM: 4 positions syncro mechanism with tensioner.

UPHOLSTERY: White or black Mirage fabric.

OTHERS: Guest version feature a sled frame in chromed round pipe, seat and back in plastic.



L/511GO



L/513GO



L/523GO



CE/527

01 DIAMOND SOFA



MODEL: Diamond Sofa
CODE: D/609

TECHNICAL DATA

INNER FRAME: Frame in plywood, varying thickness, and solid beech wood.

PADDING: Polyurethane flexible foam on woven straps.


BASE: Curved MDF bases ash wood veneered coated with a matt varnish.

UPHOLSTERY: Handcraft saddle stitched barriered leather, fabric, suede, boiled wool as for Codutti Sample Book.


OTHERS: The rised frieze pattern on the back is available in plain colours to match coverings or in leather with gold or silver finish. Joints between sides are enhanced with a chrome plated or 24-carat gold plated metal flush element.



D/609



D/610



D/611



02 MINOS SOFA



MODEL: Minos Sofa
CODE: E/59

TECHNICAL DATA

INNER FRAME: Self supporting frame in plywood, varying thickness, and solid beech wood.


PADDING: Polyurethane flexible foam.

ARMRESTS: Armrest, bubinga wood veneered, form a continuing structure with feet.


UPHOLSTERY: Handcraft saddle stitched barriered leather, fabric, suede, boiled wool as for Codutti Sample Book.




E/59



E/60



E/61



03 COUPE' SOFA



MODEL: Coupè Sofa
CODE: C/409

TECHNICAL DATA

INNER FRAME: Frame in plywood, varying thickness, and solid beech wood.

PADDING: Polyurethane flexible foam.

BASE: Curved plywood bases leather covered and finished with a chromed insert.

UPHOLSTERY: Handcraft saddle stitched barriered leather, fabric, suede, boiled wool as for Codutti Sample Book.


OTHERS: The edging can be in a color in contrast with the rest of the sofa.



C/409



C/410



04 ONE PLUS SOFA



MODEL: One Plus Sofa
CODE: YP/289

TECHNICAL DATA

INNER FRAME: self supporting wooden frame in plywood, varying thickness.

PADDING: Polyurethane flexible foam.

BASE: Chromed steel 4 feet base.

UPHOLSTERY: Handcraft saddle stitched barriered leather, fabric, suede, boiled wool as for Codutti Sample Book.



05 GENESIS SOFA



MODEL: Genesis Sofa
CODE: S/169

TECHNICAL DATA

INNER FRAME: Frame in plywood, varying thickness, and solid beech wood.

PADDING: Polyurethane flexible foam on woven straps.

BASE: Chromed steel and polished aluminium base at sight.


UPHOLSTERY: Handcraft saddle stitched barriered leather for the back; leather, fabric, suede, boiled wool as for Codutti Sample Book for frontal soft parts and armrests.



S/169



S/170



06 TECNO SOFA



MODEL: Tecno Sofa
CODE: BI/809

TECHNICAL DATA

INNER FRAME: Self supporting wooden frame in plywood, varying thickness, and solid beech wood.

PADDING: Polyurethane flexible foam on woven straps.

BASE: Triangular section chromed steel base at sight.


UPHOLSTERY: Handcraft saddle stitched barriered leather, fabric, suede, boiled wool as for Codutti Sample Book.



BI/809



BI/810





Codutti Furniture Srl

Via Bonavilla, 34 - Fr. Passons - 33037 Pasian di Prato (Udine) - ITALY

Tel: +39 0432 541414 | www.codutti.it

OFFICE
collection
CHAIRS